

iSSimple iNFO® MINI-MANUAL

Interactive information system software



1. Installation

Windows XP:

- Drivers/wic_x86_enu.exe
- Drivers/dotNetFx40_Full_x86_x64.exe

Windows Vista, 7:

- Drivers/dotNetFx40_Full_x86_x64.exe

2. Licensing

- Run HardCode.exe
- Press "Create data file"
- Email data file or send iSSimple by other way
- Receive license file "lic.dat" from iSSimple
- Copy license file "lic.dat" to application folder

3. Run:

- iNFO.exe 

4. Parameters setup

- Open setup.ini:

test_mode=1 [set 1 for desired screen resolution test, 0 – not use]

test_width=1280 [set desired screen resolution width, pixels]

test_height=720 [set desired screen resolution height, pixels]

mask_color="#FF000000" [set background color as #ZZRRGGBB, where ZZ – opacity, RR – red color code, GG – green color code, BB – blue color code, all in HEX, 00 = low, FF = high]

sshow_color="#FF000000" [home screen slides/video panel border color]

logo_opacity="1" [logo picture opacity level, 0 = transparent, 1 = opaque]

menu_opacity="1" [main menu opacity level, 0 = transparent, 1 = opaque]

menu_x_eff=1 [main menu slide effect, set 0 to off]

panel_color="#77000000" [icons panel background color]

item_color="#FF000000" [icon border color]

help_opacity="0.6" [slide navigation help buttons opacity level, 0 = transparent, 1 = opaque]

me_w=400 [slide video content width, pixels]

me_h=300 [slide video content height, pixels]

me_x=50 [slide video content x position, pixels]

me_y=440 [slide video content y position, pixels]

ManualVideoBackgroundPositionSetup=0 [set 1 to setup video background position parameters]

vbg_w=960 [video background width, pixels]


vbg_h=520 [video background height, pixels]

vbg_x=250 [video background x position, pixels]

vbg_y=75 [video background y position, pixels]

home_timer=60 [set home timer in seconds, after this period application will come back to home screen from any other, 0 - turn off home timer]

slides_timer=10 [home screen slides timer preset in seconds]



5. Content structure


Home screen:



Icons view:




Icons view with quick preview:



Icons view sub level:



Slides view:



6. File formats

JPG Image, 96 dpi (other dpi will be stretched according to physical size in mm);

PNG Image, 96 dpi, with opacity;

AVI Video, DivX, Xvid codecs or other preinstalled at system;

MP3 Audio, any bitrate;

WAV Sounds, 16 bit, 44 KHz;

3DS Models, textures not supported yet;

XPS Document, beta support;

SVG Vector Image, beta support.



iSimple Co., Ltd.

598/66, Asok Dindaeng Rd., Dindaeng, Bangkok 10400, Thailand

Phones: (+66) **02-245-1927** (office, fax, TH/EN/RU), (+66) **08-5332-1554** (Gregory Notchenko, director, EN/RU)

Email: gregory@issimple.co **Website:** <http://www.issimple.co>

UPDATES:

Video content:

- add **x.avi** to folder with slides content, X = slide number on which you want show video
- use **me_w, me_h, me_x, me_y** from **setup.ini** to set video content position

Current slide multiple sub-content (3 additional slides max.):

_sub1.jpg, sub1btn.jpg, sub1btn.png, sub1btn_sel.jpg
_sub2.jpg, sub2btn.jpg, sub2btn_sel.jpg, sub2btn.png
_sub3.jpg, sub3btn.jpg, sub3btn_sel.jpg, sub3btn.png

Video background switch:

Is case have **bg.avi** and **bg.jpg** files together in **data** folder you can switch between video and static background with button in top right corner (**show.png** and **hide.png** files to **data** folder)

Central home menu:



/data/cmnu:

Logo.jpg, logo.png, item1btn.jpg, item1btn.png, item2btn.jpg, item2btn.png...

setup.ini:

cmnu_opacity="1" [main menu opacity level, 0 = transparent, 1 = opaque]

iSimple iNFO Content Structure

Interactive software

